

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Applicant representative, Mr. Eric Krischke, on June 10, 2008.

The application has been amended as follows:

With respect to the last set of amended claims submitted on February 13, 2008;

6. (currently amended) A switch in accordance with claim 1 ~~claim 5~~ further configured to operate under shock vibration of at least 4g.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Prenell P. Jones whose telephone number is 571-272-3180. The examiner can normally be reached on 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor Wing Chan can be reached on 571-272-7493. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2619

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Wing F. Chan/
Supervisory Patent Examiner, Art Unit 2619
6/10/08
Prenell P. Jones

June 10, 2008